Attribute Groups

- Attribute Group Index Endpoint
- View Attribute Group Endpoint
- Create Attribute Group Endpoint
- Update Attribute Group Endpoint
- Delete Attribute Group Endpoint

Attribute Group Index Endpoint

Structure

See View Attribute Group Endpoint for the structure of the attribute group payload inside the `data` array.

Example Request

```
GET /api/attribute-groups?per_page=2
```

Example Response


```
{
    "current_page": 1,
    "data": [
      //...
    ],
    "first_page_url": "http://aero.test/api/attribute-groups?page=1",
    "from": 1,
    "last_page": 3,
    "last_page_url": "http://aero.test/api/attribute-groups?page=3",
    "next_page_url": "http://aero.test/api/attribute-groups?page=2",
    "path": "http://aero.test/api/attribute-groups",
    "per_page": 2,
    "prev_page_url": null,
    "to": 2,
    "total": 5
}
```

> SeeView Attribute Group Endpoint for the structure of the attribute group payload inside the `data` array.

View Attribute Group Endpoint

Structure

Attribute Group

Name	Type	Description
`name`	string	The name of the attribute group (e.g., Size or Colour)
`display_as`	string	The display as of the attribute group (e.g.: dropdown, color_swatches, image_swatches, swatches)
`reference`	string	The reference of the attribute group
`attributes`	array	An array of Attribute objects

Attribute

Name	Type	Description
`name`	string	The name of the attribute group (e.g., Size or Colour)
`display_name`	string	The display name of the attribute
`reference`	string	The reference of the attribute group
`image`	object	The Image of the attribute
`tags`	array	An array of Tag objects

Tag

Name	Type	Description
`name`	string	The name of the tag (e.g., Small or Red)
`group`	object	The Tag Group of the tag

Tag Group

Name	Type	Description
`name`	string	The name of the tag group (e.g., Size or Colour)

Image

Name	Type	Description
`url`	string	The url of the image

Example Request

```
GET /api/attribute-groups/{id|name}
```

Example Response


```
{
    "id": 1,
    "name": "Size",
    "display_as": "dropdown",
    "reference": null,
    "attributes": [
        {
            "id": 1,
```

```
            "name": "Small",
            "display_name": "",
            "reference": null,
            "image": {
                "url": null
            },
            "tags": []
        }
    ]
}
```

Create Attribute Group Endpoint

Structure

Attribute Group

Name	Type	Description	Required
`id`	int	The id for the attribute group	No
`name`	string	The name of the attribute group (e.g., Size or Colour)	Yes
`display_as`	string	The display as of the attribute group (e.g.: dropdown, color_swatches, image_swatches, swatches)	No
`reference`	string	The reference of the attribute group	No
`attributes`	array	The attributes of the attribute group, see Attribute	No

Attribute

Name	Type	Description	Required
`id`	int	The id for the attribute	No
`name`	string	The name of the attribute (e.g., Small or Red)	Yes
`display_name`	string	The display name of the attribute	No
`reference`	string	The reference of the attribute	No

`image`	object	The Image of the attribute	No
`tags`	array	An array of Tag objects	No

Image

Name	Type	Description	Required
`src`	string	The source url of the image	Yes

Tag

Name	Type	Description	Required
`name`	string	The name of the tag (e.g., Small or Red)	Yes
`group`	object	The tag group, see Tag Group	Yes

Tag Group

Name	Type	Description	Required
`name`	string	The name of the tag group (e.g., Size or Colour)	Yes

Example Request

```
POST /api/attribute-groups/
```

```
{
    "name": "Colour",
    "attributes": [
        {
            "name": "Blue",
            "reference": "blue"
        },
```

```
        {
            "name": "red"
        }
    ]
}
```

Example Response

```
{
    "attributeGroup": {
        "id": 1
    }
}
```

Update Attribute Group Endpoint

Structure

Name	Type	Description	Required
`name`	string	The name of the attribute group (e.g., Size or Colour)	No
`display_as`	string	The display as of the attribute group (e.g.: dropdown, color_swatches, image_swatches, swatches)	No
`reference`	string	The reference of the attribute group	No

Example Request

```
PUT /api/attribute-groups/
```

```
{
    "name": "Updated Size",
    "display_as": "swatches"
}
```

Example Response

```
{
    "attributeGroup": {
        "id": 1
    }
```

```
}
```

Delete Attribute Group Endpoint

Example Request

```
DELETE /api/attribute-groups/{id|name}
```

Example Response

```
204 No Content
```