

Listing Collection Groups

- [Listing Collection Group Index](#)
- [View Listing Collection Group Endpoint](#)
- [Create Listing Collection Group Endpoint](#)
- [Update Listing Collection Group Endpoint](#)

Listing Collection Group Index

This endpoint is only available if `aerocargo/listing-collections` is installed.

Structure

See [View Listing Collection Group Endpoint](#) for the structure of the listing collection group payload inside the data array.

Example Request

```
GET /api/listing-collection-groups?per_page=2
```

Example Response

```
{
  "current_page": 1,
  "data": [
    //...
  ],
  "first_page_url": "http://aero.test/api/listing-collection-groups?page=1",
  "from": 1,
  "last_page": 3,
  "last_page_url": "http://aero.test/api/listing-collection-groups?page=3",
  "next_page_url": "http://aero.test/api/listing-collection-groups?page=2",
  "path": "http://aero.test/api/listing-collection-groups",
  "per_page": 2,
  "prev_page_url": null,
  "to": 2,
  "total": 5
}
```

View Listing Collection Group Endpoint

This endpoint is only available if `aerocargo/listing-collections` is installed.

Structure

Listing Collection Group

Name	Type	Description
<code>key</code>	string	The key of the listing collection group
<code>name</code>	string	The name for the listing collection group
<code>listings</code>	array	An array of Listing objects

Listing

Name	Type	Description
<code>id</code>	int	The id of the listing
<code>product_id</code>	int	The id of the product linked to the listing
<code>sort</code>	int	The sort of the listing within the group

Example Request

```
GET /api/listing-collection-groups/{key}
```

Example Response

```
{
  "key": "api",
  "name": "API Test",
  "listings": [
    {
```

```
      "id": 1,  
      "product_id": 1  
    }  
  ]  
}
```

Create Listing Collection Group Endpoint

This endpoint is only available if `aerocargo/listing-collections` is installed.

Structure

Listing Collection Group

Name	Type	Description	Required
<code>key</code>	string	The key of the listing collection group	Yes
<code>name</code>	string	The name for the listing collection group	Yes
<code>listings</code>	array	An array of Listing objects	No

Listing

Name	Type	Description	Required
<code>id</code>	int	The id of the listing	Conditional *
<code>variant_id</code>	int	The id of the variant (of the listing)	Conditional *
<code>sku</code>	string	The SKU of the variant (of the listing)	Conditional *
<code>product_id</code>	int	The id of the product (of the listing)	Conditional *
<code>model</code>	string	The model of the product (of the listing)	Conditional *

* At least one must be present, resolved in the order they are listed top-down.

Example Request

```
POST /api/listing-collection-groups/
```

```
{
  "key": "api",
  "name": "API Test",
  "listings": [
    {
      "id": 1
    }
  ]
}
```

Example Response

```
{
  "listingCollectionGroup": {
    "key": "api"
  }
}
```

Update Listing Collection Group Endpoint

This endpoint is only available if `aerocargo/listing-collections` is installed.

Structure

Listing Collection Group

Name	Type	Description	Required
<code>key</code>	string	The key of the listing collection group	No
<code>name</code>	string	The name for the listing collection group	No
<code>listings</code>	array	An array of Listing objects	No

Listing

Name	Type	Description	Required
<code>id</code>	int	The id of the listing	Conditional *
<code>variant_id</code>	int	The id of the variant (of the listing)	Conditional *
<code>sku</code>	string	The SKU of the variant (of the listing)	Conditional *
<code>product_id</code>	int	The id of the product (of the listing)	Conditional *
<code>model</code>	string	The model of the product (of the listing)	Conditional *

* At least one must be present, resolved in the order they are listed top-down.

Example Request

```
PUT /api/listing-collection-groups/{key}
```

```
{
  "name": "API Test Updated",
  "listings": [
    {
      "id": 2
    }
  ]
}
```

Example Response

```
{
  "listingCollectionGroup": {
    "key": "api"
  }
}
```