Manufacturers

- Manufacturer Index Endpoint
- View Manufacturer Endpoint
- Create Manufacturer Endpoint
- Update Manufacturer Endpoint
- Delete Manufacturer Endpoint

Manufacturer Index Endpoint

Structure

See View Manufacturer Endpoint for the structure of the manufacturer payload inside the `data` array.

Example Request

```
GET /api/manufacturers?per_page=2
```

Example Response


```
{
    "current_page": 1,
    "data": [
      //...
    ],
    "first_page_url": "http://aero.test/api/manufacturers?page=1",
    "from": 1,
    "last_page": 3,
    "last_page_url": "http://aero.test/api/manufacturers?page=3",
    "next_page_url": "http://aero.test/api/manufacturers?page=2",
    "path": "http://aero.test/api/manufacturers",
    "per_page": 2,
    "prev_page_url": null,
    "to": 2,
    "total": 5
}
```

> See View Manufacturer Endpoint for the structure of the manufacturer payload inside the `data` array.

View Manufacturer Endpoint

Structure

Manufacturer

Name	Type	Description
`name`	string	The name of the manufacturer
`slug`	string	The slug of the manufacturer
`reference`	string	The reference of the manufacturer
`logic`	string	The logic of the rules for the manufacturer
`logo`	object	The logo of the manufacturer, see Image
`tags`	array	An array of Tag objects
`related_manufacturers`	array	The related manufacturers of the manufacturer, see Related Manufacturers
`rules`	array	An array of Listing Page Rule objects
`content`	object	The Listing Page Content of the category
`options`	object	The Listing Page Options of the category
`seo`	object	The SEO of the manufacturer
`additional_attributes`	array	An array of Additional Attribute objects
`settings`	object	A Settings object with grouped key-value pairs

Image

Name	Type	Description
`url`	string	The url of the image

Tag

Name	Type	Description
`name`	string	The name of the tag (e.g., Small or Red)
`group`	object	The tag group, see Tag Group

Tag Group

Name	Type	Description
`name`	string	The name of the tag group (e.g., Size or Colour)

Related Manufacturers

Name	Type	Description
`id`	int	The id of the manufacturer
`name`	sting	The name of the manufacturer

Rule

Name	Type	Description
`type`	string	The type of the rule
`requirement`	string	The requirement of the rule
`logic`	string	The logic of the rule
`data`	object	The data for the rule, required keys vary based on `type` of the rule
`data.tags`	array	An array of Tag objects for a `have_tags` rule
`data.manufacturers.*.id`	int	The manufacturer id for a `have_manufacturers` rule

`data.manufacturers.*.name`	string	The manufacturer name for a `have_manufacturers` rule
`data.price_list.id`	int	The price list id for an `in_price_list` rule
`data.price_list.name`	string	The price list name for an `in_price_list` rule
`data.category.id`	int	The category id for an `in_category` rule
`data.category.name`	string	The category name for an `in_category` rule
`data.days`	int	The days for a `published_within_days` rule
`data.start_at`	timestamp	The start at date for a `published_within` rule
`data.end_at`	timestamp	The end at date for a `published_within` rule
`data.min_price`	float	The min price **including tax**, in whole units (e.g. pounds not pence) for `price_between` rule
`data.max_price`	float	The max price **including tax**, in whole units (e.g. pounds not pence) for `price_between` rule
`data.currency`	string	The currency code for `price_between` rule

Content

Name	Type	Description
`summary`	string	The summary content
`description`	string	The description content
`small_image`	object	The Small Image
`medium_image`	object	The Medium Image
`large_image`	object	The Large Image

Options

Name	Type	Description

`categories.mode`	string	The category filters mode (e.g., show_all/hide_all/show_some)
`categories.values`	array	The options for categories on the listings page
`categories.values.*.id`	int	The id of category
`categories.values.*.name`	string	The name of category
`filters.mode`	int	The facet filters mode (e.g., show_all/hide_all/show_some)
`filters.values`	array	The options for facet filters on the listings page
`filters.values.*.name`	string	The name of the facet filter, e.g. Manufacturer, Price, etc...
`filters.values.*.collapsed`	boolean	Whether to collapse the facet filter or not
`sort_bys`	array	An array of the applied sorts on the listings page (e.g., name-az, name-za, price-low, price-high, etc...)
`per_page`	int	The per page of the listings page

SEO

Name	Type	Description
`heading`	string	The SEO Heading
`page_title`	string	The SEO Page Title
`meta_description`	string	The SEO Meta Description
`canonical`	string	The SEO Canonical
`noindex`	boolean	The SEO No Index
`nofollow`	boolean	The SEO No Follow

Additional Attribute

Name	Type	Description
`key`	string	The key of the additional attribute
`value`	string	The value of the additional attribute

Settings

Settings are grouped as key-value pairs.

- Use "_" for ungrouped settings.
- Each group contains its own object of key-value pairs.

```
{
    "settings": {
        "_": {
            "no_group": "value"
        },
        "group": {
            "key": "value"
        }
    }
}
```

Example Request

```
GET /api/manufacturers/{id|name}
```

Example Response

```
{
    "id": 1,
    "name": "Burberry",
    "reference": null,
    "slug": "burberry",
    "logo": {
        "url": null
    },
    "content": {
        "summary": "Listing Page Summary Description",
        "description": "Listing Page Content Description",
        "small_image": {
            "url": null
        },
        "medium_image": {
```

```
        "url": null
    },
    "large_image": {
        "url": null
    }
},
"tags": [],
"related_manufacturers": [
    {
        "id": 8,
        "name": "Aztech Mountain"
    }
],
"rules": [],
"options": {
    "categories": {
        "mode": "show_some",
        "values": [
            {
                "id": 2,
                "name": "Coats"
            }
        ]
    },
    "filters": {
        "mode": "show_some",
        "values": [
            {
                "key": "t2",
                "name": "Colour",
                "collapsed": true
            },
            {
                "key": "t1",
                "name": "Size",
                "collapsed": false
            },
            {
                "key": "p",
                "name": "Price",
```

```
                    "collapsed": false
                },
                {
                    "key": "m",
                    "name": "Manufacturer",
                    "collapsed": false
                },
                {
                    "key": "c",
                    "name": "Category",
                    "collapsed": false
                }
            ]
        },
        "sort_bys": [
            "model-az",
            "manufacturer-za"
        ],
        "per_page": 2
    },
    "seo": {
        "heading": "test heading",
        "page_title": "",
        "meta_description": "",
        "open_graph": "",
        "canonical": "",
        "noindex": 0,
        "nofollow": 0
    },
    "settings": [],
    "additional_attributes": [
        {
            "key": "test_name",
            "value": "test_value"
        }
    ]
}
```

Create Manufacturer Endpoint

Structure

Manufacturer

Name	Type	Description	Required
`id`	int	The id for the manufacturer	No
`name`	string	The name of the manufacturer	Yes
`slug`	string	The slug of the manufacturer, if not present it is auto-generated from name	No
`reference`	string	The reference of the manufacturer	No
`logic`	string	The logic of the rules for the manufacturer, and/or (defaults to or if not provided)	No
`logo`	object	The logo of the manufacturer, see Image	No
`tags`	array	An array of Tag objects	No
`related_manufacturers`	array	An array of related manufacturers (ids and/or names)	No
`rules`	array	An array of Listing Page Rule objects	No
`content`	object	The Listing Page Content of the manufacturer	No
`options`	object	The Listing Page Options of the manufacturer	No

`seo`	object	The SEO of the manufacturer	No
`additional_attributes`	array	An array of Additional Attribute objects	No
`settings`	object	A Settings object with grouped key-value pairs	No

Image

Name	Type	Description	Required
`src`	string	The source url of the image	Yes

Tag

Name	Type	Description	Required
`name`	string	The name of the tag (e.g., Small or Red)	Yes
`group`	object	The tag group, see Tag Group	Yes

Tag Group

Name	Type	Description	Required
`name`	string	The name of the tag group (e.g., Size or Colour)	Yes

Rule

Name	Type	Description	Required

`type`	string	Rule type. Allowed values: `in_category`, `in_price_list`, `have_manufacturers`, `have_tags`, `price_between`, `reduced`, `published_within_days`, `published_within`	Yes
`requirement`	string	Requirement for the rule. Allowed values: `must`, `must_not`. Defaults to `must`	No
`logic`	string	How this rule combines with others. Allowed values: `and`, `or`. Defaults to `or`	No
`data`	object	Rule-specific data (see below). Keys vary depending on type	Yes
`data.tags`	array	An array of Tag ids (or names formatted as group|name). Required if `type = have_tags`	Conditional
`data.manufacturers`	array	An array of manufacturer ids (or names). Required if `type = have_manufacturers`	Conditional
`data.price_list`	string	Price list id (or name). Required if `type = in_price_list`	Conditional
`data.category`	string	Category id (or name/breadcrumb, e.g., Mens > Coats). Required if `type = in_category`	Conditional
`data.days`	int	Number of days. Required if `type = published_within_days`	Conditional
`data.start_at`	timestamp	The start date. Required if `type = published_within`	Conditional
`data.end_at`	timestamp	The end date. Optional if `type = published_within`	Conditional
`data.min_price`	float	Minimum price (including tax) in store's default currency, whole units only (e.g. pounds, not pence). Required if `type = price_between`	Conditional

`data.max_price`	float	Maximum price (including tax) in store's default currency, whole units only. Required if `type = price_between`	Conditional

> The `rules` are nested within arrays to achieve grouping, see `rules` in Example Request for clarity

Content

Name	Type	Description	Required
`summary`	string	The summary content	No
`description`	string	The description content	No
`small_image`	object	The Small Image	No
`medium_image`	object	The Medium Image	No
`large_image`	object	The Large Image	No

Options

Name	Type	Description	Required
`categories.mode`	string	Categories filter display mode. Allowed values: `show_all`, `hide_all`, `show_some`. Default: `show_all`	No
`categories.values`	array	An array of category ids (or names/breadcrumbs, e.g. Mens > Coats) to show. Required if `categories.mode = show_some`	Conditional
`filters.mode`	int	Facet filters display mode. Allowed values: `show_all`, `hide_all`, `show_some`. Default: `show_all`	No

`filters.values`	array	The options for facet filters on the listings page. Required if `filters.mode = show_some`	Conditional
`filters.values.*.name`	string	The name of the facet filter, e.g. `Category`, `Price`, etc...	Yes
`filters.values.*.collapsed`	boolean	Whether to collapse the facet filter or not	Yes
`sort_bys`	array	An array of the applied sorts on the listings page (e.g., name-az, name-za, price-low, price-high, etc...)	No
`per_page`	int	The per page of the listings page (defaults to 24)	No

SEO

Name	Type	Description	Required
`heading`	string	The SEO Heading	No
`page_title`	string	The SEO Page Title	No
`meta_description`	string	The SEO Meta Description	No
`canonical`	string	The SEO Canonical	No
`noindex`	boolean	The SEO No Index	No
`nofollow`	boolean	The SEO No Follow	No

Additional Attribute

Name	Type	Description	Required
`key`	string	The key of the additional attribute	Yes
`value`	string	The value of the additional attribute	Yes

Settings

Settings are grouped as key-value pairs.

- Use "_" for ungrouped settings.

- Each group contains its own object of key-value pairs.

```
{
    "settings": {
        "_": {
            "no_group": "value"
        },
        "group": {
            "key": "value"
        }
    }
}
```

Example Request

```
POST /api/manufacturers/
```

```
{
    "name": "Burberry 2",
    "slug": "burberry-2",
    "content": {
        "summary": "Listing Page Summary Description",
        "description": "Listing Page Content Description"
    },
    "tags": [
        {
            "group": {
                "name": "Size"
            },
            "name": "Small"
        }
    ],
    "related_manufacturers": [
        1
    ],
    "rules": [
        [
```

```
        {
            "type": "have_tags",
            "requirement": "must",
            "logic": "or",
            "data": {
                "tags": [
                    "size|small"
                ]
            }
        },
        {
            "type": "in_category",
            "requirement": "must",
            "logic": "and",
            "data": {
                "category": 1
            }
        }
    ],
    [
        {
            "type": "in_price_list",
            "requirement": "must",
            "logic": "and",
            "data": {
                "price_list": 1
            }
        }
    ],
    [
        {
            "type": "price_between",
            "requirement": "must",
            "logic": "and",
            "data": {
                "min_price": 100,
                "max_price": 200
            }
        },
```

```
            {
                "type": "reduced",
                "requirement": "must",
                "logic": "and"
            }
        ],
        [
            {
                "type": "published_within_days",
                "requirement": "must",
                "logic": "and",
                "data": {
                    "days": "12"
                }
            },
        ]
    ],
    "options": {
        "categories": {
            "mode": "show_some",
            "values": [
                1
            ]
        },
        "filters": {
            "mode": "show_some",
            "values": [
                {
                    "name": "Price",
                    "collapsed": true
                },
                {
                    "name": "Manufacturer"
                }
            ]
        },
        "sort_bys": [
            "model-az",
            "manufacturer-za"
```

```
        ],
        "per_page": 2
    },
    "seo": {
        "heading": "test heading",
        "noindex": 0,
        "nofollow": 0
    },
    "additional_attributes": [
        {
            "key": "test_name",
            "value": "test_value"
        }
    ]
}
```


Example Response


```
{
    "manufacturer": {
        "id": 1
    }
}
```

Update Manufacturer Endpoint

Structure

Manufacturer

Name	Type	Description	Required
`name`	string	The name of the manufacturer	No
`slug`	string	The slug of the manufacturer, if not present it is auto-generated from name	No
`reference`	string	The reference of the manufacturer	No
`logic`	string	The logic of the rules for the manufacturer, and/or (defaults to or if not provided)	No
`logo`	object	The logo of the manufacturer, see Image	No
`tags`	array	An array of Tag objects	No
`related_manufacturers`	array	An array of related manufacturers (ids and/or names)	No
`rules`	array	An array of Listing Page Rule objects	No
`content`	object	The Listing Page Content of the manufacturer	No
`options`	object	The Listing Page Options of the manufacturer	No

`seo`	object	The SEO of the manufacturer	No
`additional_attributes`	array	An array of Additional Attribute objects	No
`settings`	object	A Settings object with grouped key-value pairs	No

Image

Name	Type	Description	Required
`src`	string	The source url of the image	Yes

Tag

Name	Type	Description	Required
`name`	string	The name of the tag (e.g., Small or Red)	Yes
`group`	object	The tag group, see Tag Group	Yes

Tag Group

Name	Type	Description	Required
`name`	string	The name of the tag group (e.g., Size or Colour)	Yes

Rule

Name	Type	Description	Required

`type`	string	Rule type. Allowed values: `in_category`, `in_price_list`, `have_manufacturers`, `have_tags`, `price_between`, `reduced`, `published_within_days`, `published_within`	Yes
`requirement`	string	Requirement for the rule. Allowed values: `must`, `must_not`. Defaults to `must`	No
`logic`	string	How this rule combines with others. Allowed values: `and`, `or`. Defaults to `or`	No
`data`	object	Rule-specific data (see below). Keys vary depending on type	Yes
`data.tags`	array	An array of Tag ids (or names formatted as group|name). Required if `type = have_tags`	Conditional
`data.manufacturers`	array	An array of manufacturer ids (or names). Required if `type = have_manufacturers`	Conditional
`data.price_list`	string	Price list id (or name). Required if `type = in_price_list`	Conditional
`data.category`	string	Category id (or name/breadcrumb, e.g., Mens > Coats). Required if `type = in_category`	Conditional
`data.days`	int	Number of days. Required if `type = published_within_days`	Conditional
`data.start_at`	timestamp	The start date. Required if `type = published_within`	Conditional
`data.end_at`	timestamp	The end date. Optional if `type = published_within`	Conditional
`data.min_price`	float	Minimum price (including tax) in store's default currency, whole units only (e.g. pounds, not pence). Required if `type = price_between`	Conditional

`data.max_price`	float	Maximum price (including tax) in store's default currency, whole units only. Required if `type = price_between`	Conditional

> The `rules` are nested within arrays to achieve grouping, see `rules` in Example Request for clarity

Content

Name	Type	Description	Required
`summary`	string	The summary content	No
`description`	string	The description content	No
`small_image`	object	The Small Image	No
`medium_image`	object	The Medium Image	No
`large_image`	object	The Large Image	No

Options

Name	Type	Description	Required
`categories.mode`	string	Categories filter display mode. Allowed values: `show_all`, `hide_all`, `show_some`. Default: `show_all`	No
`categories.values`	array	An array of category ids (or names/breadcrumbs, e.g. Mens > Coats) to show. Required if `categories.mode = show_some`	Conditional
`filters.mode`	int	Facet filters display mode. Allowed values: `show_all`, `hide_all`, `show_some`. Default: `show_all`	No

`filters.values`	array	The options for facet filters on the listings page. Required if `filters.mode = show_some`	Conditional
`filters.values.*.name`	string	The name of the facet filter, e.g. `Category`, `Price`, etc...	Yes
`filters.values.*.collapsed`	boolean	Whether to collapse the facet filter or not	Yes
`sort_bys`	array	An array of the applied sorts on the listings page (e.g., name-az, name-za, price-low, price-high, etc...)	No
`per_page`	int	The per page of the listings page (defaults to 24)	No

SEO

Name	Type	Description	Required
`heading`	string	The SEO Heading	No
`page_title`	string	The SEO Page Title	No
`meta_description`	string	The SEO Meta Description	No
`canonical`	string	The SEO Canonical	No
`noindex`	boolean	The SEO No Index	No
`nofollow`	boolean	The SEO No Follow	No

Additional Attribute

Name	Type	Description	Required
`key`	string	The key of the additional attribute	Yes
`value`	string	The value of the additional attribute	Yes

Settings

Settings are grouped as key-value pairs.

- Use "_" for ungrouped settings.

- Each group contains its own object of key-value pairs.

```
{
    "settings": {
        "_": {
            "no_group": "value"
        },
        "group": {
            "key": "value"
        }
    }
}
```

Example Request

```
PUT /api/manufacturers/{id|name}
```

```
{
    "name": "Updated Burberry",
    "slug": "very-burberry",
    "content": {
        "description": "Updated Burberry"
    },
    "seo": {
        "heading": "Updated Burberry"
    },
    "tags": [
        {
            "name": "Green",
            "group": {
                "name": "Colour"
            }
        }
    ]
}
```

Example Response


```
{
    "manufacturer": {
        "id": 1
    }
}
```

Delete Manufacturer Endpoint

Example Request

```
DELETE /api/manufacturers/{id|name}
```

Example Response

```
204 No Content
```