

Upsell Groups

- [Upsell Group Index Endpoint](#)
- [View Upsell Group Endpoint](#)
- [Create Upsell Group Endpoint](#)
- [Update Upsell Group Endpoint](#)

Upsell Group Index Endpoint

This endpoint is only available if `aerocargo/upsells` is installed.

Structure

See [View Upsell Group Endpoint](#) for the structure of the upsell group payload inside the `data` array.

Example Request

```
GET /api/upsell-groups?per_page=2
```

Example Response

```
{
  "current_page": 1,
  "data": [
    //...
  ],
  "first_page_url": "http://aero.test/api/upsell-groups?page=1",
  "from": 1,
  "last_page": 3,
  "last_page_url": "http://aero.test/api/upsell-groups?page=3",
  "next_page_url": "http://aero.test/api/upsell-groups?page=2",
  "path": "http://aero.test/api/upsell-groups",
  "per_page": 2,
  "prev_page_url": null,
  "to": 2,
  "total": 5
}
```

See [View Upsell Group Endpoint](#) for the structure of the upsell group payload inside the `data` array.

View Upsell Group Endpoint

This endpoint is only available if `aerocargo/upsells` is installed.

Structure

Name	Type	Description
<code>key</code>	string	The key of the upsell group
<code>name</code>	string	The name for the upsell group

Example Request

```
GET /api/upsell-groups/{key}
```

Example Response

```
{
  "key": "api-test",
  "name": "API Test"
}
```

Create Upsell Group Endpoint

This endpoint is only available if `aerocargo/upsells` is installed.

Structure

Name	Type	Description	Required
<code>key</code>	int	The key of the upsell group	Yes
<code>name</code>	string	The name for the upsell group	Yes

Example Request

```
POST /api/upsell-groups/
```

```
{
  "key": "api-test",
  "name": "API Test",
}
```

Example Response

```
{
  "upsellGroup": {
    "key": "api-test"
  }
}
```

Update Upsell Group Endpoint

This endpoint is only available if `aerocargo/upsells` is installed.

Structure

Name	Type	Description	Required
<code>key</code>	int	The key of the upsell group	No
<code>name</code>	string	The name for the upsell group	No

Example Request

```
PUT /api/upsell-groups/{key}
```

```
{
  "name": "API Test Updated",
}
```

Example Response

```
{
  "upsellGroup": {
    "key": "api-test"
  }
}
```