Create Size Guide Endpoint

> This endpoint is only available if `aerocargo/size-guides` is installed.

Structure

Size Guide

Name	Type	Description	Required	Version
`id`	int	The id of the size guide	No	`>=0.1.0`
`type`	string	The type of the size guide	No	`>=2.0.0`
`name`	string	The name for the size guide	Yes	`>=0.1.0`
`heading`	string	The heading of the size guide	Yes	`>=0.1.0`
`view`	string	The view of the size guide	No	`>=0.1.0`
`content`	string	The content of the size guide	If `type` is `rich_text`	`>=2.0.0`
`small_image`	object	The Small Image	No	`>=0.1.0`
`medium_image`	object	The Medium Image	No	`>=0.1.0`
`large_image`	object	The Large Image	No	`>=0.1.0`
`products`	array	An array of product ids or models	Conditional *	`>=0.1.0`
`manufacturers`	array	An array of manufacturer ids or names	Conditional *	`>=0.1.0`
`categories`	array	An array of category ids or breadcrumbs	Conditional *	`>=0.1.0`
`tags`	array	An array of tag ids or names	Conditional *	`>=0.1.0`

`groups`	array	An array of Group objects	No	`>=0.1.0`

Valid Types: `image`, `rich_text` & `legacy` (resolved from payload structure if not provided).

`*` Either `products` is required or `manufacturers` and/or `categories` and/or `tags` are.

Group

Name	Type	Description	Required	Version
`id`	int	The id of the size guide group	No	`>=0.1.0`
`heading`	string	The heading of the size guide	Yes	`>=0.1.0`
`sections`	array	An array of Section objects	No	`>=0.1.0`

Section

Name	Type	Description	Required	Version
`id`	int	The id of the size guide section	No	`>=0.1.0`
`heading`	string	The heading of the size guide section	Yes	`>=0.1.0`
`content`	string	The content of the size guide section	Yes	`>=0.1.0`

Image

Name	Type	Description	Required	Version
`src`	string	The source url of the image	Yes	`>=0.1.0`

Example Request

Example - Version 1.x

```
POST /api/size-guides/
```

```
{
    "name": "API Test",
    "heading": "Test",
    "view": "test",
    "products": [],
    "manufacturers": [
        "Burberry"
    ],
    "categories": [
        "Mens > Coats"
    ],
    "tags": [
        "Blue"
    ],
    "groups": [
        {
            "heading": "Group Heading",
            "sections": [
                {
                    "heading": "Section Heading",
                    "content": "Section Content"
                }
            ]
        }
    ]
}
```

Example - Version 2.x

```
POST /api/size-guides/
```

```
{
    "name": "API Test",
    "heading": "Test",
    "view": "test",
    "content": "Section Content",
    "products": [],
    "manufacturers": [
        "Burberry"
    ],
    "categories": [
        "Mens > Coats"
    ],
    "tags": [
        "Blue"
    ]
}
```

> Because `content` is present, the type is automatically resolved as `rich_text`.

Example Response

```
{
    "sizeGuide": {
        "id": 1
    }
}
```

Revision #9
Created 2026-10-02 11:05:36 UTC by Ethan Payne
Updated 2026-10-13 12:40:06 UTC by Ethan Payne