

View Customer Endpoint

Structure

Customer

Name	Type	Description
<code>id</code>	int	The id of the customer
<code>name</code>	string	The name of the customer
<code>email</code>	string	The email of the customer
<code>created_at</code>	timestamp	The date that the customer was created at
<code>group</code>	object	The group the customer belongs to, see Group
<code>addresses</code>	array	An array of Address objects
<code>tax_group</code>	object	The Tax Group of the customer
<code>additional_attributes</code>	object	An array of Additional Attribute objects

Group

Name	Type	Description
<code>id</code>	int	The id of the customer group
<code>name</code>	string	The name of the customer group
<code>tax_group</code>	object	The tax group of the customer group, see Tax Group

Address

Name	Type	Description
<code>name</code>	string	The name of the address
<code>first_name</code>	string	The first name for the address
<code>last_name</code>	string	The last name for the address
<code>company</code>	string	The company for the address

mobile	string	The mobile number for the address
phone	string	The phone number for the address
line_1	string	The first line for the address
line_2	string	The second line for the address
city	string	The city for the address
county	string	The county for the address
zone	string	The zone code for the address
postcode	string	The postcode for the address
country	string	The country code for the address
reference	string	The unique reference for the address
eori_number	string	The EORI number for the address
is_default	boolean	Whether the address is default

Tax Group

Name	Type	Description
id	int	The id of the customer tax group
name	string	The name of the customer tax group

Additional Attributes

Name	Type	Description
key	string	The key of the additional attribute
value	string	The value of the additional attribute

Example Request

```
GET /api/customers/{id|email}
```

Example Response

```
{
  "id": 1,
  "name": "test test",
  "email": "test@gmail.com",
  "created_at": "2025-06-27T13:00:47.000000Z",
  "group": {
```

```
"id": 1,
"name": "test",
"tax_group": {
  "id": 1,
  "name": "Retail Customer"
},
"addresses": [
  {
    "id": 1,
    "name": null,
    "first_name": "test",
    "last_name": "test",
    "company": "test",
    "mobile": null,
    "phone": null,
    "line_1": "test",
    "line_2": null,
    "city": "test",
    "county": "Test",
    "zone": null,
    "postcode": "te57 10l",
    "country": "GB",
    "reference": null,
    "eori_number": null,
    "is_default": 0
  },
  {
    "id": 2,
    "name": null,
    "first_name": "test",
    "last_name": "test",
    "company": "test",
    "mobile": null,
    "phone": null,
    "line_1": "test",
    "line_2": null,
    "city": "test",
    "county": null,
    "zone": null,
```

```
        "postcode": "te57 10l",
        "country": "GB",
        "reference": null,
        "eori_number": null,
        "is_default": 1
    }
],
"tax_group": null,
"additional_attributes": []
}
```

Revision #2

Created 2026-10-01 11:41:40 UTC by Ethan Payne

Updated 2026-10-01 11:44:45 UTC by Ethan Payne