

What are the available endpoints?

Orders

Method	Endpoint	Permission	Description
GET	/api/orders	orders.index	List orders
GET	/api/orders/{id}	orders.view	Get an order
POST	/api/orders	orders.store	Create an order
POST	/api/orders/{id}/flags/{id}	orders.flags.store	Attach a flag
DELETE	/api/orders/{id}/flags/{id}	orders.flags.delete	Remove a flag
POST	/api/orders/{id}/comments	orders.comments.store	Add a comment

You can pass the order `reference` in place of `id`.

You can pass the flag `name` in place of the `id`.

Fulfillments

Method	Endpoint	Permission	Description
POST	/api/orders/{id}/fulfillments	fulfillments.store	Create a fulfillment
DELETE	/api/orders/{id}/fulfillments/{id}	fulfillments.delete	Cancel a fulfillment

You can pass the order `reference` in place of `id`.

You can pass the fulfillment `reference` in place of `id`.

Order Statuses

Method	Endpoint	Permission	Description
GET	/api/order-statuses	order-statuses.index	List order statuses
GET	/api/order-statuses/{id}	order-statuses.view	Get an order status

Products

Method	Endpoint	Permission	Description
GET	/api/products	products.index	List products
GET	/api/products/search	products.search	Search products
GET	/api/products/{id}	products.view	Get a product
POST	/api/products	products.store	Create a product
PUT	/api/products/{id}	products.update	Update a product

You can pass the product `model` in place of `id`.

The `search` route allows for filtering at document level rather than eloquent level.

Variants

Method	Endpoint	Permission	Description
POST	/api/products/{id}/variants	variants.store	Create a variant
PUT	/api/products/{id}/variants/{id}	variants.update	Update a variant

You can pass the product `model` in place of `id`.

You can pass the variant `sku` in place of `id`.

Manufacturers

Method	Endpoint	Permission	Description
GET	/api/manufacturers	manufacturers.index	List manufacturers
GET	/api/manufacturers/{id}	manufacturers.view	Get a manufacturer

POST	/api/manufacturers	manufacturers.store	Create a manufacturer
PUT	/api/manufacturers/{id}	manufacturers.update	Update a manufacturer
DELETE	/api/manufacturers/{id}	manufacturers.delete	Delete a manufacturer

You can pass the manufacturer `name` in place of `id`.

Attribute Groups

Method	Endpoint	Permission	Description
GET	/api/attribute-groups	attribute-groups.index	List attribute groups
GET	/api/attribute-groups/{id}	attribute-groups.view	Get an attribute group
POST	/api/attribute-groups	attribute-groups.store	Create an attribute group
PUT	/api/attribute-groups/{id}	attribute-groups.update	Update an attribute group
DELETE	/api/attribute-groups/{id}	attribute-groups.delete	Delete an attribute group

You can pass the attribute group `name` in place of `id`.

Attributes

Method	Endpoint	Permission	Description
POST	/api/attribute-groups/{id}/attributes	attributes.store	Create an attribute
PUT	/api/attribute-groups/{id}/attributes/{id}	attributes.update	Update an attribute
DELETE	/api/attribute-groups/{id}/attributes/{id}	attributes.delete	Delete an attribute

You can pass the attribute group `name` in place of `id`.

You can pass the attribute `name` in place of `id`.

Categories

Method	Endpoint	Permission	Description
GET	/api/categories	categories.index	List categories
GET	/api/categories/{id}	categories.view	Get a category
POST	/api/categories	categories.store	Create a category

PUT	/api/categories/{id}	categories.update	Update a category
DELETE	/api/categories/{id}	categories.delete	Delete a category

You can pass the category `name` or `breadcrumb` in place of `id`.

Tag Groups

Method	Endpoint	Permission	Description
GET	/api/tag-groups	tag-groups.index	List tag groups
GET	/api/tag-groups/{id}	tag-groups.view	Get a tag group
POST	/api/tag-groups	tag-groups.store	Create a tag group
PUT	/api/tag-groups/{id}	tag-groups.update	Update a tag group
DELETE	/api/tag-groups/{id}	tag-groups.delete	Delete a tag group

You can pass the tag group `name` in place of `id`.

Tags

Method	Endpoint	Permission	Description
POST	/api/tag-groups/{id}/tags	tags.store	Create a tag
PUT	/api/tag-groups/{id}/tags/{id}	tags.update	Update a tag
DELETE	/api/tag-groups/{id}/tags/{id}	tags.delete	Delete a tag

You can pass the tag group `name` in place of `id`.

You can pass the tag `name` in place of `id`.

Collections

Method	Endpoint	Permission	Description
GET	/api/collections	collections.index	List collections
GET	/api/collections/{id}	collections.view	Get a collection
POST	/api/collections	collections.store	Create a collection
PUT	/api/collections/{id}	collections.update	Update a collection

DELETE	/api/collections/{id}	collections.delete	Delete a collection
--------	-----------------------	--------------------	---------------------

You can pass the collection `name` in place of `id`.

Customers

Method	Endpoint	Permission	Description
GET	/api/customers	customers.index	List customers
GET	/api/customers/{id}	customers.view	Get a customer
POST	/api/customers	customers.store	Create a customer
PUT	/api/customers/{id}	customers.update	Update a customer

Addresses

Method	Endpoint	Permission	Description
POST	/api/customers/{id}/addresses	addresses.store	Create an address
PUT	/api/customers/{id}/addresses/{id}	addresses.update	Update an address
DELETE	/api/customers/{id}/addresses/{id}	addresses.delete	Delete an address

Payment Methods

Method	Endpoint	Permission	Description
GET	/api/payment-methods	payment-methods.index	List payment methods
GET	/api/payment-methods/{id}	payment-methods.view	Get a payment method

Shipping Methods

Method	Endpoint	Permission	Description
GET	/api/shipping-methods	shipping-methods.index	List shipping methods
GET	/api/shipping-methods/{id}	shipping-methods.view	Get a shipping method

Locations

Method	Endpoint	Permission	Description
GET	/api/locations	locations.index	List locations
GET	/api/locations/{id}	locations.view	Get a location

POST	/api/locations	locations.store	Create a location
PUT	/api/locations/{id}	locations.update	Update a location

You can pass the location `name` in place of `id`.

Flags

Method	Endpoint	Permission	Description
GET	/api/flags	flags.index	List flags
GET	/api/flags/{id}	flags.view	Get a flag
POST	/api/flags	flags.store	Create a flag
PUT	/api/flags/{id}	flags.update	Update a flag
DELETE	/api/flags/{id}	flags.delete	Delete a flag

You can pass the flag `name` in place of `id`.

Price Lists

Method	Endpoint	Permission	Description
GET	/api/price-lists	price-lists.index	List price lists
GET	/api/price-lists/{id}	price-lists.view	Get a price list
POST	/api/price-lists	price-lists.store	Create a price list
PUT	/api/price-lists/{id}	price-lists.update	Update a price list

Price List Entries

Method	Endpoint	Permission	Description
POST	/api/price-lists/{id}/entries	price-list-entries.store	Create a price list entry
PUT	/api/price-lists/{id}/entries/{id}	price-list-entries.update	Update a price list entry

Specification Groups

Method	Endpoint	Permission	Description
GET	/api/specification-groups	specification-groups.index	List specification groups
GET	/api/specification-groups/{id}	specification-groups.view	Get a specification group

POST	/api/specification-groups	specification-groups.store	Create a specification group
PUT	/api/specification-groups/{id}	specification-groups.update	Update a specification group

Must have installed `aerocargo/specifications` for these endpoints to work.

Upsell Groups

Method	Endpoint	Permission	Description
GET	/api/upsell-groups	upsell-groups.index	List upsell groups
GET	/api/upsell-groups/{key}	upsell-groups.view	Get an upsell group
POST	/api/upsell-groups	upsell-groups.store	Create an upsell group
PUT	/api/upsell-groups/{key}	upsell-groups.update	Update an upsell group

Must have installed `aerocargo/upsells` for these endpoints to work.

Listing Collection Groups

Method	Endpoint	Permission	Description
GET	/api/listing-collection-groups	listing-collection-groups.index	List listing collection groups
GET	/api/listing-collection-groups/{key}	listing-collection-groups.view	Get a listing collection group
POST	/api/listing-collection-groups	listing-collection-groups.store	Create a listing collection group
PUT	/api/listing-collection-groups/{key}	listing-collection-groups.update	Update a listing collection group

Must have installed `aerocargo/listing-collections` for these endpoints to work.

Stock

Method	Endpoint	Permission	Description
POST	/api/stock	stock.update	Bulk update variant stock

