What are the available endpoints?

Orders

Method	Endpoint	Permission	Description
`GET`	`/api/orders`	`orders.index`	List orders
`GET`	`/api/orders/{id}`	`orders.view`	Get an order
`POST`	`/api/orders`	`orders.store`	Create an order
`POST`	`/api/orders/{id}/flags/{id}`	`orders.flags.store`	Attach a flag
`DELETE`	`/api/orders/{id}/flags/{id}`	`orders.flags.delete`	Remove a flag
`POST`	`/api/orders/{id}/comments`	`orders.comments.store`	Add a comment

> You can pass the order `reference` in place of `id`.

> You can pass the flag `name` in place of the `id`.

Fulfillments

Method	Endpoint	Permission	Description
`POST`	`/api/orders/{id}/fulfillments`	`fulfillments.store`	Create a fulfillment
`DELETE`	`/api/orders/{id}/fulfillments/{id}`	`fulfillments.delete`	Cancel a fulfillment

> You can pass the order `reference` in place of `id`.

> You can pass the fulfillment `reference` in place of `id`.

Order Statuses

Method	Endpoint	Permission	Description
`GET`	`/api/order-statuses`	`order-statuses.index`	List order statuses
`GET`	`/api/order-statuses/{id}`	`order-statuses.view`	Get an order status

Products

Method	Endpoint	Permission	Description
`GET`	`/api/products`	`products.index`	List products
`GET`	`/api/products/search`	`products.search`	Search products
`GET`	`/api/products/{id}`	`products.view`	Get a product
`POST`	`/api/products`	`products.store`	Create a product
`PUT`	`/api/products/{id}`	`products.update`	Update a product

> You can pass the product `model` in place of `id`.

> The `search` route allows for filtering at document level rather than eloquent level.

Variants

Method	Endpoint	Permission	Description
`POST`	`/api/products/{id}/variants`	`variants.store`	Create a variant
`PUT`	`/api/products/{id}/variants/{id}`	`variants.update`	Update a variant

> You can pass the product `model` in place of `id`.

> You can pass the variant `sku` in place of `id`.

Manufacturers

Method	Endpoint	Permission	Description
`GET`	`/api/manufacturers`	`manufacturers.index`	List manufacturers
`GET`	`/api/manufacturers/{id}`	`manufacturers.view`	Get a manufacturer
`POST`	`/api/manufacturers`	`manufacturers.store`	Create a manufacturer
`PUT`	`/api/manufacturers/{id}`	`manufacturers.update`	Update a manufacturer
`DELETE`	`/api/manufacturers/{id}`	`manufacturers.delete`	Delete a manufacturer

> You can pass the manufacturer `name` in place of `id`.

Attribute Groups

Method	Endpoint	Permission	Description
`GET`	`/api/attribute-groups`	`attribute-groups.index`	List attribute groups
`GET`	`/api/attribute-groups/{id}`	`attribute-groups.view`	Get an attribute group
`POST`	`/api/attribute-groups`	`attribute-groups.store`	Create an attribute group
`PUT`	`/api/attribute-groups/{id}`	`attribute-groups.update`	Update an attribute group
`DELETE`	`/api/attribute-groups/{id}`	`attribute-groups.delete`	Delete an attribute group

> You can pass the attribute group `name` in place of `id`.

Attributes

Method	Endpoint	Permission	Description
`POST`	`/api/attribute-groups/{id}/attributes`	`attributes.store`	Create an attribute
`PUT`	`/api/attribute-groups/{id}/attributes/{id}`	`attributes.update`	Update an attribute
`DELETE`	`/api/attribute-groups/{id}/attributes/{id}`	`attributes.delete`	Delete an attribute

> You can pass the attribute group `name` in place of `id`.

>

> You can pass the attribute `name` in place of `id`.

Categories

Method	Endpoint	Permission	Description
`GET`	`/api/categories`	`categories.index`	List categories
`GET`	`/api/categories/{id}`	`categories.view`	Get a category
`POST`	`/api/categories`	`categories.store`	Create a category
`PUT`	`/api/categories/{id}`	`categories.update`	Update a category
`DELETE`	`/api/categories/{id}`	`categories.delete`	Delete a category

> You can pass the category `name` or `breadcrumb` in place of `id`.

Tag Groups

Method	Endpoint	Permission	Description
`GET`	`/api/tag-groups`	`tag-groups.index`	List tag groups
`GET`	`/api/tag-groups/{id}`	`tag-groups.view`	Get a tag group
`POST`	`/api/tag-groups`	`tag-groups.store`	Create a tag group
`PUT`	`/api/tag-groups/{id}`	`tag-groups.update`	Update a tag group
`DELETE`	`/api/tag-groups/{id}`	`tag-groups.delete`	Delete a tag group

> You can pass the tag group `name` in place of `id`.

Tags

Method	Endpoint	Permission	Description
`POST`	`/api/tag-groups/{id}/tags`	`tags.store`	Create a tag
`PUT`	`/api/tag-groups/{id}/tags/{id}`	`tags.update`	Update a tag
`DELETE`	`/api/tag-groups/{id}/tags/{id}`	`tags.delete`	Delete a tag

>

> You can pass the tag group `name` in place of `id`.

> You can pass the tag `name` in place of `id`.

Collections

Method	Endpoint	Permission	Description
`GET`	`/api/collections`	`collections.index`	List collections
`GET`	`/api/collections/{id}`	`collections.view`	Get a collection
`POST`	`/api/collections`	`collections.store`	Create a collection
`PUT`	`/api/collections/{id}`	`collections.update`	Update a collection
`DELETE`	`/api/collections/{id}`	`collections.delete`	Delete a collection

> You can pass the collection `name` in place of `id`.

Customers

Method	Endpoint	Permission	Description
`GET`	`/api/customers`	`customers.index`	List customers
`GET`	`/api/customers/{id}`	`customers.view`	Get a customer
`POST`	`/api/customers`	`customers.store`	Create a customer
`PUT`	`/api/customers/{id}`	`customers.update`	Update a customer

Addresses

Method	Endpoint	Permission	Description
`POST`	`/api/customers/{id}/addresses`	`addresses.store`	Create an address
`PUT`	`/api/customers/{id}/addresses/{id}`	`addresses.update`	Update an address
`DELETE`	`/api/customers/{id}/addresses/{id}`	`addresses.delete`	Delete an address

Payment Methods

Method	Endpoint	Permission	Description
`GET`	`/api/payment-methods`	`payment-methods.index`	List payment methods
`GET`	`/api/payment-methods/{id}`	`payment-methods.view`	Get a payment method

Shipping Methods

Method	Endpoint	Permission	Description
`GET`	`/api/shipping-methods`	`shipping-methods.index`	List shipping methods
`GET`	`/api/shipping-methods/{id}`	`shipping-methods.view`	Get a shipping method

Locations

Method	Endpoint	Permission	Description
`GET`	`/api/locations`	`locations.index`	List locations
`GET`	`/api/locations/{id}`	`locations.view`	Get a location
`POST`	`/api/locations`	`locations.store`	Create a location
`PUT`	`/api/locations/{id}`	`locations.update`	Update a location

> You can pass the location `name` in place of `id`.

Flags

Method	Endpoint	Permission	Description
`GET`	`/api/flags`	`flags.index`	List flags
`GET`	`/api/flags/{id}`	`flags.view`	Get a flag
`POST`	`/api/flags`	`flags.store`	Create a flag
`PUT`	`/api/flags/{id}`	`flags.update`	Update a flag
`DELETE`	`/api/flags/{id}`	`flags.delete`	Delete a flag

> You can pass the flag `name` in place of `id`.

Price Lists

Method	Endpoint	Permission	Description
`GET`	`/api/price-lists`	`price-lists.index`	List price lists
`GET`	`/api/price-lists/{id}`	`price-lists.view`	Get a price list
`POST`	`/api/price-lists`	`price-lists.store`	Create a price list
`PUT`	`/api/price-lists/{id}`	`price-lists.update`	Update a price list

Price List Entries

Method	Endpoint	Permission	Description
`POST`	`/api/price-lists/{id}/entries`	`price-list-entries.store`	Create a price list entry
`PUT`	`/api/price-lists/{id}/entries/{id}`	`price-list-entries.update`	Update a price list entry

Specification Groups

Method	Endpoint	Permission	Description
`GET`	`/api/specification-groups`	`specification-groups.index`	List specification groups
`GET`	`/api/specification-groups/{id}`	`specification-groups.view`	Get a specification group
`POST`	`/api/specification-groups`	`specification-groups.store`	Create a specification group
`PUT`	`/api/specification-groups/{id}`	`specification-groups.update`	Update a specification group

> Must have installed `aerocargo/specifications` for these endpoints to work.

Upsell Groups

Method	Endpoint	Permission	Description
`GET`	`/api/upsell-groups`	`upsell-groups.index`	List upsell groups
`GET`	`/api/upsell-groups/{key}`	`upsell-groups.view`	Get an upsell group
`POST`	`/api/upsell-groups`	`upsell-groups.store`	Create an upsell group
`PUT`	`/api/upsell-groups/{key}`	`upsell-groups.update`	Update an upsell group

>

> Must have installed `aerocargo/upsells` for these endpoints to work.

Listing Collection Groups

Method	Endpoint	Permission	Description
`GET`	`/api/listing-collection-groups`	`listing-collection-groups.index`	List listing collection groups
`GET`	`/api/listing-collection-groups/{key}`	`listing-collection-groups.view`	Get a listing collection group
`POST`	`/api/listing-collection-groups`	`listing-collection-groups.store`	Create a listing collection group
`PUT`	`/api/listing-collection-groups/{key}`	`listing-collection-groups.update`	Update a listing collection group

> Must have installed `aerocargo/listing-collections` for these endpoints to work.

Stock

Method	Endpoint	Permission	Description
`POST`	`/api/stock`	`stock.update`	Bulk update variant stock

Size Guides

Method	Endpoint	Permission	Description
`GET`	`/api/size-guides`	`size-guides.index`	List size guides
`GET`	`/api/size-guides/{id}`	`size-guides.view`	Get a size guide
`POST`	`/api/size-guides`	`size-guides.store`	Create a size guide
`PUT`	`/api/size-guides/{id}`	`size-guides.update`	Update a size guide

> Must have installed `aerocargo/size-guides` for these endpoints to work.

Revision #5
Created 2026-09-29 11:56:15 UTC by Ethan Payne
Updated 2026-10-02 13:08:29 UTC by Ethan Payne