Breadcrumb

- How do I display the breadcrumb?
- How do I add something to the breadcrumb?
- How do I clear the breadcrumb?
- How can I filter the breadcrumb?
- How can I display the request referrer?
- How can I disable the breadcrumb functionality?

How do I display the breadcrumb?

To access the breadcrumb on the storefront, use the `breadcrumb()` function inside Twig files.

It can be displayed by looping over each crumb like so:

```
<ul class="breabcrumb">
    {% for crumb in breadcrumb() %}
        <li class="crumb">
            {% if loop.last %}
                <span>{{ crumb.name }}</span>
            {% else %}
                <a href="{{ crumb.url }}">{{ crumb.name }}</a>
            {% endif %}
        </li>
    {% endfor %}
</ul>
```

How do I add something to the breadcrumb?

You can use the `add()` method to add a crumb:

```
\Aero\Store\Facades\Breadcrumb::add(function (\Aero\Store\Services\Breadcrumb $breadcrumb) {
    $breadcrumb->add(new \Aero\Store\Crumb('Name', '/url'));
});
```

> You can provide a Closure that returns an `\Aero\Store\Crumb` instance instead if you need to defer until the breadcrumb is rendered.

How do I clear the breadcrumb?

You can use the `clear()` method to clear the crumbs:

```
\Aero\Store\Facades\Breadcrumb::clear();
```

How can I filter the breadcrumb?

You can provide a filter callback to remove unwanted crumbs, it should return `true` when a crumb should be kept and `false` otherwise:

```
\Aero\Store\Facades\Breadcrumb::setFilter(function ($crumb) {
    if ($crumb->getName() === 'Foo') {
        return false;
    }

    return true;
});
```

How can I display the request referrer?

By default, the product page breadcrumb is built based on the referrer.

For example, if a customer performs a search for "shirt" and then clicks on a listing result, the breadcrumb on the product page will be `Home > Search for “shirt” > Casual Shirt`.

To disable this functionality, use `dontUseReferer()`:

```
\Aero\Store\Facades\Breadcrumb::dontUseReferer();
```

How can I disable the breadcrumb functionality?

There may be cases (such as an API) where the breadcrumb functionality should not use the request at all.

To do this, use `dontUseRequest()`:

```
\Aero\Store\Facades\Breadcrumb::dontUseRequest();
```