

General

- [How can I add content into the body of the storefront?](#)
- [How can I add content into the head of the storefront?](#)

How can I add content into the body of the storefront?

The content for body pipeline can be used to inject content into the `<body>` element of the page, such as stylesheets, meta tags, scripts, or other body elements:

```
// Globally
\Aero\Store\Pipelines\ContentForBody::extend(function (string $content, \Closure $next) {
    return $next($content . view('acme::script'))
});

// Product Page Only
\Aero\Store\Http\Responses\ProductPage::extend(function
(\Aero\Store\Http\Responses\ProductPage $page, \Closure $next) {
    \Aero\Store\Pipelines\ContentForBody::extend(function (string $content, \Closure $next) {
        return $next($content . view('acme::script'))
    });
});
```

Parameters

Parameter	Type	Description
<code>\$content</code>	<code>string</code>	The content to be injected into the body.
<code>\$next</code>	<code>\Closure</code>	The next step in the query pipeline.

How can I add content into the head of the storefront?

The content for head pipeline can be used to inject content into the `<head>` element of the page, such as stylesheets, meta tags, scripts, or other head elements.

```
// Globally
\Aero\Store\Pipelines\ContentForHead::extend(function (string $content, \Closure $next) {
    return $next($content . view('acme::script'))
});

// Product Page Only
\Aero\Store\Http\Responses\ProductPage::extend(function
(\Aero\Store\Http\Responses\ProductPage $page, \Closure $next) {
    \Aero\Store\Pipelines\ContentForHead::extend(function (string $content, \Closure $next) {
        return $next($content . view('acme::script'))
    });
});
```

Parameters

Parameter	Type	Description
<code>\$content</code>	<code>string</code>	The content to be injected into the body.
<code>\$next</code>	<code>\Closure</code>	The next step in the query pipeline.